



EAST AFR. PROT

23975

REC'D
Reg'd 22 MAY 16

23975

Mr. Balfour 221

1916

13 April

Last previous Paper.

507
20475

Railway. Sanitary measures.

Reports arrangements for disinfection
measures recommended by Prof. Simpson

Ans. 415 cars 17 June 1918
Further 1075 433 22 June 1918
507 39824 17

The Editor

GCPS 23.4.16

Mr. Balfour

Y almost do as it is
You would not have
Sanitary advice

59149/15

can height with
The which news as
you had. I had without
that has been
consulted but had not agreed. The
O. B. we had to fight out with
O. B. I think we shall have
to come out with
the



GOVERNMENT HOUSE,
NAIROBI,
BRITISH EAST AFRICA.

APRIL 18th, 1916.

23375

REC'D
22 MAY 16

6633-40

50/19

In reply to your despatch of January 17th respecting Professor Simpson's recommendations in regard to disinfection measures in connection with the Uganda Railway at Kisumu, I have the honour to inform you that my Medical and Sanitary advisers should not at first accept Mr. Church's views.

2. A meeting was held at Kisumu on February 11th by the Principal Sanitation Officer and the Principal

H. Conroy
GOVERN

officer, and the following was the result of the discussion.

50/19

immediately:-

Station

a. That the Railway authorities erect four bogey bodies connected with pipes and supplied with valves as a disinfecting chamber close to the large goods shed.

b. That a railway siding be constructed by the Railway to serve this chamber, in connection with the dead end now in existence.

c. That all goods now stored on the station platform be placed on a stacking ground to be made in the rear of this chamber, and that in future all country produce be delivered there to expedite landing, and be treated there prior to despatch down country.

Pier

a. That the Railway authorities erect two bogey bodies connected with pipes and supplied with valves at the dead end of the second line of sheds.

b. That cargo from steamers, and local produce for despatch to Lake Ports be treated there.

Clayton Disinfectors

a. That the small Clayton Disinfectors be at the disposal of the Railway authorities, and used when required by the Medical Officer.