1921-12 and pamphlet for tr. H. Lambert H. Read Masterton Smith. · surchill Previous Paper MINUTES - of standard to ( we he

GOVERNMENT HOUSE,

25th November, 1921,

27**47**h

Sir.

Parmohle:

As requested in your despatch No.1479 of
28th September. I have the honour to transmit
herewith for communication to the Uruguayan
Legation a short memorandum on the treatment
of rinderpest, prepared by the Chief Veterinary
Officer, together with a pamphlet on the subject
which is issued locally by the Veterinary

I have the nonour to be, Sir,

Your numble, obedient servant,

Hury of Northay

GOVERNOR.

THE RIGHT HONOURABLE

WINSTON CHURCHILL, P.C., M.P.,

SECRETARY OF STATE FOR THE COLONIES,

DOWNING STREET, LONDON, S.W.

## MEMORANDUM ON THE METHODS EMPLOYED IN KENYA COLONY 155 IN COMBATING RINDERPEST.

The Methods employed in dealing with outbreaks of Rinderpest comprise.

-----0()0-----

- I. Quarantine
- II. Inoculation with Anti-Rinderpest Serum

## I. Quarantine.

The Diseases of Animals Ordinance centrels centagious diseases and lays down rules to be followed when dealing with outbreaks.

When an outbreak of Rinderpost occurs all affected and in-centact animals are quarantimed and animals suspensed of infection are segregated. The Chief Veterinary Officer or a Veterinary Officer of the District where the outbreak of disease is situated gives such orders as may be medicary to the owner or person in charge of the affected againsts who is responsible for carrying out such orders. Failure to carry out any orders given is regarded as a breach of the Rules under the Diseases of Animals Ordinance and punishable as such by a fine or imprisonment or both. Any public read used by infected stock is closed to susceptible stock for 14 days The flesh of infected carcases is a potent source of spreading the disease; great care is necessary to prevent its removal to the vicinity of healthy susceptible stock through the agency of carmivorous animals and birds.

## II. Inoculation.

DESCRIPTION OF THE PARTY OF THE

The subcutaneous injection of anti-rinderpest serum is always carried out in suppressing outbreaks of the disease. It is used by itself to produce a passive(temperary) immunity or in conjunction with the subcutaneous a injection of virulent rinderpest blood to produce an active (permanent) immunity.

I forward herewith a Departmental pamphlet giving the technique of these operations.

Anti Rinderpest Serum is manufactured departmentally at the Veterinary Laboratory, Kabete, near Nairobi.

CHIEF VETERINARY OFFICER.

鮮

for. 2747. 2/2 Kenya. DRAFT. Daniel Orige to your cetter No 1525 L1533/1535 1407/1021, of the 25° of august Foreign Mics last, and to the letter from this Dept. MINUTE. No 42767/21. of the 200 of September, sullawing to an enquiry by the Mr. Jul 23/1 Mr. Parker in Unaguayay Min when regarders The treatment of Renderport, Jamely he was to Mr. Greatle. Sir.H. Lambert. Sir H. Bead. bungs ill have now recent and property Sir J. Masterton ( in the ruly oct , who request from the foremon of heavy a far you of scattering Mr. Churchill: was no stored to the same her The hat the down may be forwarded to The Unquay as hyprister month in Grande #