



23

EAST AFR. PROT

43553

43553

19/12/13

Governor
Selfield Conf
160

1913

14th November

Last previous Paper.

Govt
40820

KILINDINI HARBOUR

Trs copy of letter from the General Manager of the Railway dealing with questions of double storied sheds, lightage etc.

Mr G. Freder in reval - Govt
Send copy 2 sth to the
C.R. with ref. to my letter of
the 4th of dec? - Govt?

Done at 29/12/13
On 31.12.13

Next subsequent Paper

Govt
43933

O.
4853

286

GOVERNMENT HOUSE,
NAIROBI, P.O. 13
BRITISH EAST AFRICA.

CONFIDENTIAL No. 180



14th November 1913.

Sir,

With reference to your Confidential despatch of the 17th of September and in continuation of my Confidential despatch No. 182 of the 5th instant, I have the honour to transmit herewith a copy of a letter from the General Manager of the Uganda Railway dealing with the points raised by you in connection with paragraphs 84, 85 and 87 of the Report submitted by Messrs Woods, Mathews, Pitmeadow and Wilson on the proposed harbour improvements at Mombasa.

I have the honour to be,

etc. etc.

Your humble obedient servant,

H. Murray Beaufort

GOVERNOR.

* No. 29350

+ No. 40819

THE RIGHT HONOURABLE

LEWIS HARCOUNT, P.C., M.P.

SECRETARY OF STATE FOR THE COLONIES,

DOWNING STREET, LONDON, S.W.

on despatch

-19429-20

INCLOSURE

Post
to D. A. M. dated 12/11/1913

287

Enclosure No.

November 12th 1913

~~D. A. M.~~
~~480~~
CONFIDENTIAL

Mr

KILINDINI DEEP WATER PORT

SIR.

1. I beg to acknowledge receipt of your
No. 5407 of 1st October regarding confidential
despatch of 17th September and in continuation
of my letter of 16th October dealing with the
Consulting Engineers' Report on the Kilindini
Deep Water Port I beg to reply further to the
points raised by the Secretary of State.

2. "Double storied Sheds". I am strongly
in favour of having double storied sheds at
Kilindini. Single floor sheds are of course
easier to work but then we are so cramped for
space on the island that it is incumbent on us
to make the most of the space available.
It is proposed to construct godowns near Kil-
indini station but the space there is very
limited and we can only see our way to setting
out 100 plots whilst a rough estimate taken
by the Chamber of Commerce showed present re-
quirements as 80 plots.

It is not of course essential to have all the
sheds two stories at first but I certainly con-

THE HON. MR.
THE CHIEF SECRETARY
TO THE GOVERNMENT.
NAIROBI.

consider one at least and better two sheds be double storied at once. I am sure it will be a great convenience to trade.

3. The type of shed I would suggest is two storied with a flat roof to the upper story strong enough to carry light goods so that in the future we may have three stories - the upper storey being roofed in with light corrugated iron roofing. This is the type in use at the Calcutta Jetties.

4. Lighthouses. The control should be in the hands of the Port Authority but it is not necessary to take any action until the Deep Sea Pier is completed and about to open for traffic.

It is advisable to let the owners or lessees know that there is this possibility and I think they already appreciate that.

The Port Authority would take over all sufficient plant at a valuation but there would be no question of "good-will" in the business.

5. The cost of the Railway connection earthwork is estimated at about Rs. 7,000 and this can be set against the Custom House for which funds have already been provided.

The cost of the Permanent way has been allowed for by the Consulting Engineers vide paragraph 72.

I have the honor to be,
Yours Obedient Servant,

J. H. D. TAYLOR

General Manager.
URANDA RAILWAY.