

22 FEB 1911

F.A. 70

Receipt No. 147

Date

1911

Previous Paper:

4968

See Contract at Kelantan

two estimates of volume of the works

clause 57 of the contract

to be inserted after the words "rolling stock" and before the words "for the operation of the railway" at line 4 of clause 57 of the contract

I have advised the principal contractor of the works of the amount of Rs. 2203,500 and by inserting at the end of clause 57 of the contract the words "and such special arrangements as may be required for the operation of the railway" at the particular line as indicated above

RECEIVED  
22 FEB 1911

at 10/10/11  
2. Mr. ...  
approve of  
essentially the  
Supplementary agreement  
with Messrs. ...

12/1  
8.11.7.

As proposed.

I always understood the £100,000 to be exclusive of grain etc.

It does not matter as I intend to drop the Kelindi Peer in my negotiations with the Treasury, in order to try to get the £150,000 for the Port Harb. Tramway & Mountain Water works.

I believe the Magadi Lake Co. will make a deep water pier eventually.

H. 4. 3. 11

As proposed.

I always understood the £100,000 to be exclusive of grain etc.

It does not matter as I intend to drop the Kelindi Poles in my negotiations with the Treasury, in order to try to get the £150,000 for the Fort Hall Tramway & Madras Water works.

I believe the Magadi Lake Co. will make a deep water pier eventually.

H. 4. 73. 11

... ..

Depth

15  
12

...

...

...

...

Feb 23

...

...

...

...

...

SPENCER & CO. LONDON  
109 & 111, FLEET STREET, LONDON, E.C. 4

# SPENCER & CO. LIMITED

FOUNDERS  
SPECIALISTS IN  
MACHINERY, GILDS, ETC.  
QUALITY CRANE PLANTS, DRE-CONVEYORS, ETC.  
ALL REFRIGERATING MACHINERY

WORKS  
CARLTON  
DAY  
21st

ENCLOSURES

## ESTIMATE

H. J. Read, Esqr., C.M.G.,  
Colonial Office,  
LONDON.

Dear Sir,

With further reference to your letter of 12th inst.,  
re proposed deep water Pier at [illegible] we advise  
you that our estimates were sent to [illegible] who is  
the principal in this matter, and [illegible]

For Quay 300 feet long and [illegible] for Cranes  
and railways, together with [illegible] required for  
sheds, also including the [illegible] [illegible]  
and all necessary equipment, [illegible] of  
bollards, electric crane [illegible] electric  
lighting, elevator [illegible] [illegible] [illegible]  
storage plant [illegible] [illegible] [illegible]  
intake, [illegible] [illegible] [illegible]  
conditioning plant [illegible] [illegible] [illegible]  
electric [illegible] [illegible] [illegible]

